

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|---|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 6: Okoboji, depressional----- | 83 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| 27B: Terril----- | 85 | Not limited | | Not limited | | Not limited | |
| 54: Zook----- | 80 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | | | | | Flooding | 0.60 |
| 55: Nicollet----- | 75 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Depth to saturated zone | 0.44 | Depth to saturated zone | 0.44 | Depth to saturated zone | 0.75 |
| 62F: Storden----- | 78 | Somewhat limited | | Not limited | | Very limited | |
| | | Slope | 0.82 | | | Slope | 1.00 |
| 90: Okoboji, mucky, depressional----- | 83 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| 95: Harps----- | 83 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| 107: Webster----- | 80 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| 135: Coland----- | 83 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | | | | | Flooding | 0.60 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--|---------------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 138B: Clarion----- | 80 | Not limited | | Not limited | | Not limited | |
| 138C2: Clarion, moderately eroded----- | 78 | Not limited | | Not limited | | Not limited | |
| 175: Dickinson----- | 85 | Not limited | | Not limited | | Not limited | |
| Wadena----- | 3 | Not limited | | Not limited | | Not limited | |
| 175B: Dickinson----- | 75 | Not limited | | Not limited | | Not limited | |
| 175C: Dickinson----- | 83 | Not limited | | Not limited | | Not limited | |
| 188: Kensett----- | 90 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone Depth to bedrock | 0.75 0.26 |
| 201B: Coland----- | 55 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| Terril----- | 35 | Not limited | | Not limited | | Not limited | |
| 203: Cylinder----- | 75 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.75 |
| 221: Klossner, depressional----- | 88 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|---|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 236B: Lester----- | 83 | Not limited | | Not limited | | Not limited | |
| 236C: Lester----- | 81 | Not limited | | Not limited | | Not limited | |
| 236C2: Lester----- | 76 | Not limited | | Not limited | | Not limited | |
| 236D2: Lester----- | 83 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 236E: Lester----- | 86 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 236F: Lester----- | 80 | Somewhat limited Slope | 0.82 | Not limited | | Very limited Slope | 1.00 |
| 253B: Farrar----- | 85 | Not limited | | Not limited | | Not limited | |
| 253C: Farrar----- | 85 | Not limited | | Not limited | | Not limited | |
| 256G: Lester----- | 50 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.56 | Very limited Slope | 1.00 |
| Storden----- | 38 | Very limited Slope | 1.00 | Somewhat limited Slope | 0.56 | Very limited Slope | 1.00 |
| 259: Biscay, 32 to 40 inches to sand and gravel----- | 70 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| 274: Rolfe, depressional- | 85 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--|---------------------------|---|----------------------|---|----------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 308: Wadena, 32 to 40 inches to sand and gravel----- | 75 | Not limited | | Not limited | | Not limited | |
| 308B: Wadena, 32 to 40 inches to sand and gravel----- | 85 | Not limited | | Not limited | | Not limited | |
| 330: Kingston----- | 80 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.75 |
| 338: Garmore----- | 78 | Not limited | | Not limited | | Not limited | |
| 339: Truman----- | 90 | Not limited | | Not limited | | Not limited | |
| 339B: Truman----- | 90 | Not limited | | Not limited | | Not limited | |
| 344B: Copaston----- | 80 | Not limited | | Not limited | | Very limited Depth to bedrock Droughty Content of large stones | 1.00 0.98 0.01 |
| 354: Aquolls, (marsh), ponded----- | 80 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 | Very limited Depth to saturated zone Ponding | 1.00 1.00 |
| 485: Spillville----- | 80 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone | 0.44 | Somewhat limited Depth to saturated zone Flooding | 0.75 0.60 |
| 506: Wacousta----- | 83 | Very limited | | Very limited | | Very limited | |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--|---------------------------|---|--------------|---|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| 507: Canisteo----- | 75 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 508: Calcousta----- | 83 | Very limited Depth to saturated zone Ponding | 1.00 1.00 | Very limited Depth to saturated zone Ponding | 1.00 1.00 | Very limited Depth to saturated zone Ponding | 1.00 1.00 |
| 526: Wacousta----- | 83 | Very limited Depth to saturated zone Ponding | 1.00 1.00 | Very limited Depth to saturated zone Ponding | 1.00 1.00 | Very limited Depth to saturated zone Ponding | 1.00 1.00 |
| 536: Hanlon----- | 85 | Not limited | | Not limited | | Somewhat limited Flooding | 0.60 |
| 638C2: Clarion, moderately eroded----- | 50 | Not limited | | Not limited | | Not limited | |
| Storden, moderately eroded----- | 35 | Not limited | | Not limited | | Not limited | |
| 659: Mayer----- | 80 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| 823: Ridgeport----- | 75 | Not limited | | Not limited | | Somewhat limited Droughty | 0.26 |
| 823B: Ridgeport----- | 86 | Not limited | | Not limited | | Somewhat limited Droughty | 0.26 |
| 823C2: Ridgeport, moderately eroded-- | 85 | Not limited | | Not limited | | Somewhat limited | |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--|---------------------------|--|-------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Droughty | 0.33 |
| 828B: Zenor----- | 88 | Not limited | | Not limited | | Somewhat limited Droughty | 0.11 |
| 828C2: Zenor, moderately eroded----- | 79 | Not limited | | Not limited | | Somewhat limited Droughty | 0.25 |
| 829D2: Zenor, moderately eroded----- | 45 | Not limited | | Not limited | | Somewhat limited Slope Droughty | 0.63 0.25 |
| Storden, moderately eroded----- | 35 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 835D2: Storden, moderately eroded----- | 50 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| Omsrud, moderately eroded----- | 35 | Not limited | | Not limited | | Somewhat limited Slope | 0.63 |
| 835E2: Storden, moderately eroded----- | 50 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| Omsrud, moderately eroded----- | 35 | Somewhat limited Slope | 0.02 | Not limited | | Very limited Slope | 1.00 |
| 956: Harps----- | 45 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Okoboji----- | 35 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|------------------------------|---------------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Ponding | 1.00 | Ponding | 1.00 | Ponding | 1.00 |
| 1585: Spillville----- | 45 | Somewhat limited Flooding | 0.40 | Somewhat limited Flooding | 0.40 | Very limited Flooding Depth to saturated zone | 1.00 0.19 |
| Coland----- | 35 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| 4000: Urban Land----- | 100 | Not rated | | Not rated | | Not rated | |
| 5010: Pits, Gravel----- | 100 | Not rated | | Not rated | | Not rated | |
| 5030: Pits, Quarries----- | 100 | Not rated | | Not rated | | Not rated | |
| 5040: Udorthents----- | 100 | Not rated | | Not rated | | Not rated | |
| 5080: Udorthents----- | 100 | Not rated | | Not rated | | Not rated | |
| AW: Animal Waste Lagoon- | 100 | Not rated | | Not rated | | Not rated | |
| SL: Sewage Lagoon----- | 100 | Not rated | | Not rated | | Not rated | |

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Humboldt County, Iowa

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| W: Water----- | 100 | Not rated | | Not rated | | Not rated | |